



EVER BRIGHT
Tagless Label Printing Solution
www.ever-bright.com
Since @ 1983

XS | S | **M** | L | XL

100% COTTON
MADE IN HONG KONG

水洗說明
LAUNDERING
METHOD



Do not wash



Do not bleach



Normal drying



Hot Iron



Hydrocarbons

Tagless Label Printing Solution


Tagless Label is no feeling printed label.
Direct printing on fabric or garment surface,
eliminate conventional PET woven label uncomfortable feel.

Printed label – classification

- <1> Printed woven label / Ribbon label printing
– polyester fibre, screen printing and solvent-based ink
- <2> Tagless Printing OR Tagless Neck Label Printing
– T-shirt, jacket, pad printing and solvent-based ink
- <3> Hang Tag Printing
– Paper or plastic film, offset printing and oil-based ink

Advantage of Tagless Label

- <1> Fastness to washing and iron
Ink film remains smooth, stable and comfort after many times washing
- <2> Good adhesion
High affinity to fibre. High binding power with fibre.
- <3> High opacity
Strong color strength of ink on depth color fabric.
- <4> Soft ink film
High ink film soft, flexibility.
No cracking and high stretching after washing.



EVER BRIGHT

Tagless Label Printing Solution

High Speed Tagless / Label Screen Printer



SR-130F8-3


Colour	3Colour
Max.Printing area	130 X 100 mm
Max.Printing speed	1200 pcs/hr
Rated power	1φAC 220V 50/60Hz 4.3 KW
Air consumption	25 Litre/min 6bar
Outline dimension	1470 x 1380 x 1480 mm
Weight	220 kg



Tagless / Label Pad Printer

SPC-824SDU

Ink cup diameter	Φ90(mm)
Steel plate size	100x220(mm)
Max. Printing pressure	1155N (6 bar)
Max. Printing speed	1000(pcs/hr)
Air consumption	125(L/min)
Rated power	50 W
Rated voltage	1ΦAC 220V±10% 50Hz
Rated current	3A
Noise	<80(dB)
Outline dimension	860x500x1405(mm)
Weight	130(kg)



SPC-826SDUQ1

Ink cup diameter	Φ90(mm)
Steel plate size	100x250(mm)
Max. Printing pressure	1150N (6 bar)
Max. Printing speed	800(pcs/hr)
Air consumption	130(L/min)
Rated power	50 W
Rated voltage	1ΦAC 220V±10% 50Hz
Rated current	3A
Noise	<80(dB)
Outline dimension	990x695x1525(mm)
Weight	180(kg)



恒暉氣動工程有限公司

Ever Bright Printing Machine Fty Ltd

地址：香港葵涌圳邊街1號兩華工業大廈18樓
18/F, South China Ind Bldg., No.1 Chun Pin St., Kwai Chung, Hong Kong.
Tel: (852) 2421 8573 (8 Lines) Fax: (852) 2489 2512, 2423 1428
http://www.ever-bright.com e-mail: info@ever-bright.com