

# SPCCT-824SD

## 2-Color Pad Printer with Pad Head Clearing Device & suspension ink cups



Printing sample

### Features

- PLC controls each function for easy operation.
- 2-Color pad printer with ink cup adopts pads shuttle working mode especially good for substrate not suitable for left/right movement.
- High quality aluminum alloy is used to make structure rigid and light weight. Inking by ink cup, ink viscosity is stable and no need to add any solvents in 6 to 8 hours, low evaporation, no splashing. Up to 50% of ink saving; Good working environment retains.
- Safety hood is equipped to meet safety requirements.
- Dwell times are adjustable to meet different requirements.
- Convenient ink cup installation and remove for durable use.
- Extra function "twice inking, once printing" is designed for thicker ink film. Unique ink cup edge structure ensures clean ink scraping and produces clear and sharp printing image.
- Drying by auto air blower.
- Pad head clearing device, times are adjustable to meet different requirements.

### Technical Data

● Ink cup diameter	Φ90 (mm)
● Steel plate size	100x250 (mm)
● Max. Printing pressure	155N 6(bar)
● Max. Printing speed	1000 (pcs/hr)
● Air consumption	150 (L/min)
● Rated power	200W
● Rated voltage	1 Φ AC 220V ± 10% 50Hz
● Rated current	1A
● Noise	<80 (dB)
● Outline dimension	880x1240x1390 (mm)
● Weight	200 (kg)



恒暉氣動工程有限公司

Ever Bright Printing Machine Fty Ltd  
 地址：香港葵涌圳邊街1號南華工業大廈18樓  
 18/F, South China Ind Bldg., No.1 Chun Pin St., Kwai Chung, Hong Kong.  
 Tel: (852) 2421 8573 (8 Lines) Fax: (852) 2489 2512, 2423 1428  
 http://www.ever-bright.com e-mail: info@ever-bright.com